



### NATIONAL SEVERE STORMS PROJECT

REPORT No. 16

## Analysis of Selected Aircraft Data from NSSP Operations, 1962

by

Tetsuya Fujita

The University of Chicago, Chicago, Illinois



A report on research conducted under contract Cwb-10201 between the U.S. Weather Bureau (NSSP) and The University of Chicago

Washington, D. C. May 1963

## CONTENTS

		Page
	ABSTRACT	. 1
1.	INTRODUCTION	. 1
2.	SQUALL LINES OF MAY 22, 1962	. 2
	Figures	. 5 . 12
3.	ISOLATED THUNDERSTORMS OF MAY 24, 1962	. 14
ž	Figures Tables	. 16 . 19
4.	CUMULUS STREETS OF MAY 25, 1962	. 21
2 2 2	Figures Tables	. 22 . 27
	ACKNOWLEDGMENTS	. 29

# ANALYSIS OF SELECTED AIRCRAFT DATA FROM NSSP OPERATIONS, 1962

\* - 1 1771/ . . . .

Tetsuya Fujita
The University of Chicago
Chicago, Illinois

#### **ABSTRACT**

With use of photographs taken during the Spring 1962 operations of the National Severe Storms Project, preliminary analyses of the cloud patterns on both sides of the flight paths have been made. Since the mosaic of the cloud patterns was photogrammetrically synthesized, and the photographs were taken from a platform moving with a ground speed of about 250 to 300 m.p.h., they could be far from synoptic. Nevertheless, they represent fairly well the conditions in the vicinity of the flight path. An attempt was made to compare the Doppler fixes with the ground positions determined by both visual and photogrammetric fixes. The vector differences between these fixes revealed that the Doppler fixes deviate from the true positions in a non-linear manner between VOR stations, thus creating errors in Doppler navigation which cannot be corrected by simply adjusting the aircraft positions at each passage over VOR stations.

#### I. INTRODUCTION

During 1961 NSSP field operations, the author made several flights with the Weather Bureau's DC-6B over Kansas and Oklahoma in an attempt to take cloud photographs, using 35-mm. wide-angle cameras. Photogrammetric analyses of selected photographs revealed that the positions of the aircraft fixed by the Doppler navigation system and from aerial photographs are, in some cases, different by as much as 10 statute miles, even after the flight path was corrected against each passage over a VOR station.

Some discussion of the navigation errors is thought to be appropriate, both to draw attention to their existence and to try to appraise their nature. Errors in navigation fixes have been a serious problem in many different research projects. They have a significant influence on wind computations. In addition, while the precise position may be relatively unimportant for straightline flights in larger-scale phenomena such as in investigations of the jet stream, accurate fixes assume overwhelming importance when an aircraft observation must be positioned with respect to a phenomenon on the scale of a cumulus cloud. For this purpose, experience has suggested that the commercial Doppler navigator (which was not specifically designed for work involving numerous turns) is, while extremely useful, not completely adequate for the task. Until a completely reliable system becomes available (with absolute accuracy within less than a mile), computed fixes can be supplemented by visual fixes which can then be utilized to correct the cumulative errors.

In an attempt to determine the exact deviation of the Doppler fixes from the aerial photogrammetric positions, in-flight photographs were taken in 1962 at more frequent intervals than in 1961. Mr. T. Ushijima assisted the author in taking pictures and keeping records of photographic and observational data. The period of our participation, only about 10 days during the month of May, was very short; however, six cases involving squall lines, isolated thunderstorms, and cumulus streets turned out to be excellent for future research.

In view of the fact that many months normally elapse before the recorded data are completely processed, after making necessary corrections to the pre-liminary printout or to the analog traces, preliminary analysis of the data available immediately after the flight would be of use to the researchers who intend to carry out detailed research in the future. This report, which was completed within two months after the operation, deals only with the preliminary results of photogrammetric analyses performed by rather crude methods, and with information on the accuracy of the Doppler navigation fixes compared with both visual and photogrammetric positions.

Three cases are presented in this report; however, the photographs and other data for the following three cases are also on file in the office of the Mesometeorology Project at the University of Chicago and are available upon request.

- (1). May 17, 1962 The author and T. Ushijima flew with a DC-6(40C) obtaining 34 photographs using a 21-mm. lens and 39 using a 25-mm. lens. Appearing in these photographs are distant and close-up views of three groups of thunderstorm cells extending in a horse-shoe shape from west of Dalhart, Tex., to Clovis, N. M., and a distinct edge of stratocumulus areas extending north to south half-way between Shamrock, Tex., and Oklahoma City can be detected.
- (2). May 18, 1962 Ushijima attempted to make about 15 position fixes while flying with DC-6(40C). The total number of photographs taken with a 25-mm. lens is 103.
- (3). May 21, 1962 The author photographed 16 frames from B-26 using a 21-mm. lens, while Ushijima, making 5 visual fixes, took 80 photographs with a 25-mm. lens.

#### 2. SQUALL LINES OF MAY 22, 1962

The author and C. W. Newton flew with DC-6(39C). Unfortunately, the Doppler navigation system developed some difficulties and shortly after departing from Bartlesville VOR it failed to function. The flight path presented in figure 1 was determined with the use of approximately 60 visual fixes obtained by Fujita during the flight. The circles in the figures are those fixes with their time given in hours (CST), minutes, and seconds.

The plane departed from the Oklahoma City VOR and climbed to 9,000 ft. on course to Tulsa, Okla. Thereafter the altitude was kept at about 9,000 ft. until a climb to 18,000 ft. was made while circling over Bartlesville, Okla. Investigation of a squall line extending south-southwest from Kansas City was performed from the 18,000-ft. level.

A total of 185 pictures (21-mm. lens) were taken by the author and are listed in table 1. The table includes the frame number, the time of exposure, and the direction of the principal lines. The direction represents the azimuth of picture centers as viewed from the camera. When the direction is accurate within a possible error of up to 5°, the suffix "due" is used. The direction such as N 10 W indicates that the principal line is oriented 10° toward the west when measured from true north. True north was used as a reference for the principal lines throughout. The hours 03h, 09h, ..., were used to indicate the relative azimuth of principal lines with respect to the aircraft, the heading being 12h. This type of azimuth determination is usually necessary when the flight is made over an undercast area where no ground references are available. Typical photographs are shown in figure 2.

Given in table 2 are the visual fixes, the accuracy of which falls within 1 statute mile. Statute miles, true north, and magnetic north are abbreviated as SM, N, and N', respectively. These fixes were made by estimating the distance of the aircraft subpoint with the aid of section lines on the ground which are usually laid out at about 1 statute-mile intervals.

Results of preliminary rectification of these photographs are presented in figures 3-7. In all figures large areas of convective clouds with their bases below 10,000 ft. are stippled. Hatched areas represent other clouds, including anvils, with bases above 10,000 ft. It should be pointed out that these cloud charts were constructed through a crude photogrammetry, and are subject to revision when more exact photogrammetric analyses are completed in the future.

On board the B-26 piloted by J. Cook, Ushijima took 22 pictures as indicated in table 3, and obtained the 11 visual fixes listed in table 4. No charts were prepared at this stage since the B-26 navigation and meteorological data had not yet been completely processed at the time of preliminary analysis.

Two types of convective systems in lines were documented during these flights. One was a line (band) of altocumulus castellanus mapped in figure 3, whose base was at about 16,000 ft. along the western edge, sloping up to 30,000 ft. MSL at the eastern edge where it indicated a cirrostratus appearance. The total width of the band was between 40 and 60 miles. There were disorganized mammatus and scattered showers along the western edge of the band. No more than 1/10 coverage of cumulus clouds were in existence beneath the band of altocumulus castellanus to the south of the 36° parallel. To the north, however, there was a vast area of stratocumuli extending beneath the band of altocumulus castellanus forming two distinct layers of convection separated by clear air.

The second type was a cumulus to cumulonimbus convection (figs. 4-7) in a long line oriented almost parallel to the above-mentioned high-level convection system. The zone between these two convection lines, separated by approximately 50 miles, was relatively clear with 1 to 3 tenths of cumuli either scattered or in streets. It was possible to completely circumnavigate an active portion of the squall line once, but due to rapid development of cells complete circumnavigation became impossible at later times.

As a result of the DC-6 borne Doppler failure, it is rather difficult to determine the wind field around the squall line. It seems feasible, however, to obtain the wind fields averaged over the distance between two reliable visual fixes, utilizing other data recorded on the flight.

rama diriring per rai bahasan bermen bahasa

and the commence of the commen

an de seguiro de la companya della c




Figure 1.- Flight path of DC-6(39C), May 22, 1962, fixed visually by Fujita.




Figure 2.- Typical cloud photographs taken by Fujita with a 35-mm. camera (21-mm. lens) during the 39C flight on May 22, 1962.




Figure 3.- Altocumulus castellanus and altostratus in a wide band. 1305-1455 CST, May 22, 1962. Cloud photographs were taken from DC-6(39C).




Figure 4.- Flight path of DC-6(39C) along a squall line in pre-mature stage southwest of Kansas City. 1500-1600 CST, May 22, 1962.




Figure 5.- Mature squall line near Kansas City observed from DC-6(39C). No penetration was made in view of the expected turbulence with possible hail. 1610-1705 CST, May 22, 1962.




Figure 6.- Intense activity northeast of Kansas City observed from DC-6(39C). A hook shaped echo was observed by an airborne radar. 1705-1735 CST, May 22, 1962.




Figure 7.- Southwestern end of a squall line extending from near Kansas City to Tulsa, and the flight path of DC-6(39C), 1730-1845 CST, May 22, 1962.

Table 1. List of 35-mm. photographs made by the author on board DC-6(39C), May 22, 1962. Focal length: 21 mm.

1	Frame No.	Time	Principal Line	Frame No.	Time	Principal Line	1	Frame No.	Time	Principal Line	
	150	<del></del>	<u> </u>	65	142355	due S		130	163014	NNW	_
		100600	N	66	143030	NNE	- 1	131	163205	· N	
11	1	122600					- 1	132	163320	N	
	2	122602		67	143325	NE			163425	N .	
	3 4	122604 122608	E SE	68	143624 143727	due N N	- 1	133 134	163810	N 10 B	
									164025	NE	
	5	122610	S	70	143905	due N	- 1	- 135 136	164605	ESE	
	6	130730	SSW	71	143956	NW	- 1	137	164751	ESE	
	7	130948	SE	72	144032	due W	- 1			ESE	
	8	130952	E	73 74	144135	. E SW	- 1	138 139	164815 165059	ESE	
	9	131142	SSW		144325		46	40		SE	
	10	131404	due S	- 75	144344	S	Ī	140	165135 165440	S	
	11	131652	N	76	144425	SE	- 1	141		ssw ·	
	12	131740	SW	77	144500	E	- 1	142	165700		v
	13	132000	due S	. 78	144545	NB .	1	143	170325	WSW	
	14	132248	N 10 W	79	144605	N	- 1	144	170510	WNW	
	15	132315	due S	80	145044	NNB		145	170625	BNB	
	16	132430	due N	81	145628	due B	- 1	146	170717	SE	×
	17	132500	due S	82	145903	NNE		147	170802	B 10 S	
	18	132616	due S	83	150528	due E	1	148	170850	due B	
	19	132650	due N	84	151115	SE	ļ	149	171120	due E	
	20	132945	due S	85	151209	due W	ı	150	171315	NNE	
12	21	133008	due N	86	151312	due W	I	151	171320	NB	
37	22	133038	due N	87	151350	SB	1	152	171525	N 10 E	
	23	133059	due S	88	151650	NW	ı	153	171715	N 5 B	
	24	133209	NW	89	151720	NW	i	154	171935	NNE	
				90		NW		155	172050	NNE	
	25	133310	due NNW	(2)(2)	151825		-	156	172308	NNW	
	26	133345	sw .	91	152245	WNW			172751	WSW	
	27	1333xx	S	92	152330	WNW		157	· CONTROL OF CONTROL	due B	
	28	133458	due SSW	93	152603	SE	- 1	158 159	173015 173540	W W	
	29	133527	due N	94	152745	SW					
	30	133618	due S	95	152850	SSW		160	173850	E	
	31	133741	due N	96	153111	SSW		161	174255	NW	
	32	133935	due N	97	153130	SSW		162	174500	NNW	
	33	134022	sw	98	153155	SSE	-	163	174730	N	
	34	134118	due N	99	153606	N	ŀ	164	174859	NW	
	35	134318	09h	100	153650	đue N	ı	165	175320	due N	
	36	134410	due N	101	153735	N		166	175540	NW	
	37	134430	due SW	102	153807	SE		167	175915	NNW	
	38.	134720	03h	103	153947	SE	- 1	168	180520	N 5 W	
	39	134740	09h	104	154114	SB		169	180810	RSE	
8	40	135000	03h	105	154225	BNE	1	170	180955	E 10 S	
	41	135028	09h	106	154315	due B	$\mathbf{v}_{i_{1}}$	171	181206	SE	
	42	135318	03h	107	154641	BNE		172	182635	SE	
	43	135347	09h	108	154804	ENB		173	182822	SE	
	44	135448	03h	109	154835	due B		174	182957	due B	
•	45	135625	S	110	154950	due B		175	183234	due SB	
	46	135625	SE ·	111	155040	due E		176	183600	NE	
		135735	due B	112	155125	due B		177	183603	E	-
	47			113	155235	MNM.		178	183606	SB	
	48 49	135803 135833	due NE due NE	113	155235	NNW		179	183842	due E	
									183845	due SB	
	50	140124		115	155725	NNE	li .	180 181	184203	ESE	
	51	140156	09h	116	155810	sw			184443	SE	8
	52	140305	03h	117	155945	due N		182	184615	due SB	
	53 54	140410 140823	09h 03h	118 119	155950 160212	NE NW		183 184	185015	due SE	ě
	55	140900	09h	120	160343	due W		185	185445	SSE	
	56	141215	03h	121	160430	due SE					
	57	141240	09h	122	160820	ESE	4		1 3		
	58	141334	03h	123	161120	NNE					
	59	141418	NNW	,124	161622	due E	1		ž.	ž.	
	60	141530	NW	125	161950	NW			G <sub>1</sub>		
	61	141635	NW	126	162015	wsw	. 1				
	62	141851	S	127	162330	ESE				100	
		142117	172	100							
	63	142117	E	128	162606	. NM		- 2			

Table 2. List of visual fixes by Fujita on board DC-6(39C), May 22.1962. Time is given by hour (CST), minute, and second.

Time	Visual Fixes	Time	Visual Fixes
130601	2-1/4 SM E of Y intersection, 3 SM SSE of Okarche	161305	About 4 SM SE of downtown Kansas City
131106	4 SM N of Kingfisher	161750	1 SM E of Richards-Gebaur AP
131247	Cross Cimarron River flow S, 10 SM N 50 E	162723	2 SM W of Drexel
	of Kingfisher	165245	On highway 4 SM N of MID Continental
131915	3 SM N of Coyle		Intl. AP
133415	2 SM NW of downtown Tulsa	170406	Cross river 8 SM N'30 W' of Kansas City VOR
133527	3 SM W'10 S' of Tulsa VOR	171000	South bank of river 7 SM W'10 N' of Fairfax AP
133855	Cross river flow W, 9 SM E'10 S' of Tulsa VOR	171450	3 SM S, 1 SM W of downtown Kansas City
134145	Directly over Chouteau	171715	5-1/2 SM S'35 W' of Blue Springs VOR
135947	5 SM NE of Bentonville	172215	10 SM S of Odessa
141418	2 SM NE of Miami	172408	Heading N on 4 lane highway
141530	5 SM W of Miami	.172530	3-1/2 SM NNW of Higginsville
141851	Due W of Afton	172900	About 6 SM WNW of Carrollton
42015	On highway 5 SM ESE of Vinita	174100	Cross river 4 SM E, 2-1/2 N of Lexington
143150	1 SM N of Nowata	175200	6-1/2 SM S'10 E' of Blue Springs VOR
144200	Cross river flow E, 3 SM S of Bartlesville AP	175440 .	8 SM E, 4 SM N of Richards-Gebaur AP
144658	2-1/2 SM N of Dewey	175730	2-1/2 SM SE of Richards-Gebaur AP
144830	Over Bartlesville VOR	180215	4 SM NW of Louisburg
145018	Cross railroad 6 SM W'20 N' of Bartlesville VOR	180700	Cross river 6 SM S of Paola
145330	11 SM W'25 S' of Bartlesville VOR	181140	12-1/2 SM B, 2 SM N of Garnett
145712	7 SM S of Bartlesville AP	181450	5 SM SB of Garnett
50000	Cross river flow ESE, 1-1/2 E of N-S highway	181625	7 SM S, 1/2 SM W of Garnett
50125	3 SM S, 1/2 SM E of Dewey	182315	4 SM S of Iola
150415	Cross railroad 6 SM N'10 W' of Bartlesville VOR	182720	2 SM W of Chamte AP
150500	2-1/2 SM W of Caney	183515	5-1/2 SM NW of Independence
151000	Due W of Neodesha	183740	3 SM W, 1 SM S of Independence AP
151518	Due W of Humboldt	184340	Over Bartlesville VOR
51556	3-1/2 SM NW of Humboldt	184820	1 SM S, 4 SM B of Pawhuska
527.00	2-1/2 SM NE of Paola	185356	Cross river flow B, 3-1/2 SM S, 1 SM B
153040	5 SM W, 2 SM N of Olathe AP		of Hudson Ranch AP
54550	3 SM NW of Quenemo	190042	Cross highway 2 SM NNW of Stillwater
160120	1 SM SE of La Cygne	190100	2 SM NW of Stillwater
160911	Over town 9 SM E, 4 SM N of Richards-Gebaur AP		

Table 3. List of 35-mm. photographs made by Ushijima on board B-26, May 22, 1962. Focal length: 25.5 mm.

Frame No.	Time	Principal Line	Frame No.	Time	Principal Line	Frame No.	Time	Principal Line	
1	145613	E	8	160258	SE	16	162536	N	.,
2	145830	SW	9	161328	S	17	163420	N	
3	150027	sw	10	162114	WNW	18	163911	E	
4	150401	N	11	162150	WNW	· 19	164020	E	
5	153142	NW	12	162212	WNW	20	165852	SE	-
. 6	154437	E	13	162233	WNW .	21	165910	SSE	
7	155510	E	14	162457	ENE .	22	170313	S	
			. 15	162521	ENE				

Table 4. List of visual fixes by Ushijima on board B-26, May 22, 1962.

Time	Visual Fixes	Time	Visual Fixes	
142426	Directly over Cushing	164400	20 SM E of Ottawa	
145000	Over Gibson Res.	164802	1 SM S of Osawatomie	
153330	Over Chanute VOR	165400	Over Ottawa VOR	
155405	Over Ottawa VOR	171500	Over Fall River Lake	
160305	3 SM E of Paola	174410	Over Ponca City	
161806	2 SM W of Garnett			

#### 3. ISOLATED THUNDERSTORMS OF MAY 24, 1962

While flying with the DC-6(39C), the author and Ushijima split responsibilities in data collection. While Ushijima was keeping records of navigation data, the author photographed 72 pictures as tabulated in table 5. One of the objectives of this particular flight was to compute vector differences of Doppler and visual fixes which were learned to be rather large. 74 visual fixes were made by the author during the 6-hour flight, making it possible to obtain frequently the actual drift in Doppler positions. Table 6 indicates these fixes. Ushijima, who stayed with the navigation instrument throughout the entire flight, made exact records of Doppler fixes so that they could be compared with the visual fixes upon termination of the flight.

The result thus obtained by comparing Doppler and visual fixes appears in figure 8. The actual flight path obtained by a series of visual fixes (open circles) is shown in heavy lines. Indicated by filled circles are the Doppler fixes corresponding to each visual fix. Vector differences were obtained by subtracting the position vectors of visual fixes from those of Doppler fixes. Thus

$$\Delta \mathbf{D} = \mathbf{G} - \mathbf{D},$$

where vectors G, D, and  $\Delta D$  represent respectively the visually fixed position, Doppler position, and the vector difference of these positions. An attempt was made to calculate both x and y components of this vector difference  $\Delta D$ .

The result of calculations, as tabulated in table 7, turned out to be of extreme interest. When the plane departed from the Oklahoma City VOR at 1217 CST, there was no error in the Doppler position. As time went on both x and y components of  $\Delta D$  varied non-linearly throughout the period of flight, reaching the maximum error of  $\Delta x = +30.0$  and  $\Delta y = -9.4$  statute miles shortly before landing at Will Rogers Airport, Oklahoma City.

Presented in figure 9 are the changes in time of  $\Delta x$  and  $\Delta y$ , together with the magnetic heading of DC-6(39C). As a result of possible errors in visual fixes and interpolated Doppler fixes, some scatter of data points is unavoidable. Nevertheless, the smoothed curves indicate non-linear variations which are closely related to the aircraft heading. There were no apparent jumps in  $\Delta x$  and  $\Delta y$  during any steep banks. However, their time derivatives changed appreciably after each turn.

The cloud system investigated on this flight was an isolated area of cumulonimbus convection initiated near Wellington, Tex. The shadows of the edge of anvil tops were mapped three times between 1440 and 1740 CST while flight was made around the storm system. The areas of shadow mapped between 1400 and 1530 CST (fig. 10) indicate the development stage of the main anvil cloud drifting out from three major cells. A small cumulonimbus to the north of the major ones was about to form an anvil top.

When the second trip around the area of activity was made, the major and the new cells merged into a large but isolated system including three large echoes detected by airborne radar (fig. 11). Typical mammatus and some virga were hanging from the anvil base extending east from the areas of major activity.

The last flight made around the system (fig. 12) revealed that the anvil covered such a large area that the whole system looked like a squall line extending through considerable distances. The cloud region, even at this stage, was surrounded by relatively clear areas suggesting that the system under investigation was rather similar to the square-looking cloud appearing on the TIROS I photograph of May 19, 1960,

In view of the fact that the system moved over the area of the NSSP network during the evening hours, an organized research of this case will be made by means of mesosynoptic, aerial photogrammetric, and radar analyses.




Figure 8.- Flight path of DC-6(39C), May 24, 1962, fixed visually by Fujita, and the vector error (Doppler-Ground Fixes). The flight track is based on visual fixes at points indicated by open circles along line showing flight track. For the time of each visual fix, the Doppler navigator fix is indicated by a solid dot; position errors are shown by arrows.




Figure 9.- Both x (east) and y (north) components of vector error of Doppler fixes. Sharp banks of the aircraft do not add much error to these components, instead, the rate of change in these components varies appreciably after significant turns.




Figure 10.- Cloud shadows determined by Fujita while flying around an isolated large convective system of May 24, 1962. Hatched areas represent echoes from L.F. Conover's sketches of airborne radar scopes. Time in CST.




Figure 11.- The development of shadows observed during the second run around the nephsystem. A small anvil to the north of the main system now merged while growing rapidly. May 24, 1962.




Figure 12.- The shadows as observed during the last flight around the areas of intense activities. Tornadoes and high winds were in progress near Altus. May 24, 1962.

Table 5. List of photographs taken by Fujita on board DC-6(39C), May 24, 1962.

Frame No.	Time	Principal Line	Frame No.	Time	Principal Line	Frame No.	Time	Principal Line
1	120850	due S	25	142647	due N	49	150339	sw
2	121006	due E	26	143440	due N	50	150425	sw
3	122344	due E	27	143520	NE	51	150514	SSW
4	122723	ENE	28	143530	NNE	52	150807	due N
5	123420	NE	29	143541	N	53	150955	due N
6	124630	SSW	30	143551	NNW	54	151200	E 10 N
7	125215	ENE	31	143728	due N	55	151253	due S
. 8	125410	WSW	32	143811	SSE	56 .	151400	S
9	131028	due E	33	143851	S	57	151402	SB
10	131629	ESB	34	143944	due S	58	151404	E
11	132237	E	35	144036	due SSB	59	151645	SB
12	133636	ESE	36	144655	due N	60	151725	due E
13	134928	SE	37	144658	due S	61	151850	ESE
14	135615	E	38	145006	due S	62	152125	SE
15	140030	SE	39	145158	due N	63	152300	<b>E</b>
16	140155	SB	40	145235	due S	64	152302	SE
17	140845	due S	41	145336	due S	65	152543	E
18	140941	due N	42	145459	SE	66	152545	ENE
19	141747	SSW	43	145622	NNE	67	152547	NB .
20	141850	due N	44	145648	due S	- 68	152930	NB
21	141915	SSW	45	145956	sw	69	153115	E
22	142155	due N	46	145958	S	70	153145	due N
23	142437	SSW	47	150141	NE	71	153305	sw
24	142615	SSW	48	150251	SE	72	153345	sw

Table 6. List of visual fixes by Fujita on board DC-6(39C), May 24, 1962.

Time	Visual Fixes	Time .	Visual Fixes
120705	4 SM E'45 S' of Oklahoma City VOR	142857	Due N of Erick
120800	Over Okiahoma City VOR	143211	Over Sayre VOR
121242	1/2 SM S of railroad bridge NE of Tuttle	143851	1 SM N of Clinton Sherman AP, 4435 HD SW
121426	3 SM W of Will Rogers AP	144513	1 SM S, 7 SM B of Cordell
121657	Over Oklahoma City VOR	145826	2 SM N of Sayre
121823	5 SM W'20 S' of Oklahoma City VOR	151030	Cross North Fork Red R. 8 SM NNW of Shamrock
121943	1 SM E of intersection US 66 and 81, 2 SM SE of E1 Reno	151800	Cross river 12 SM due S of McLean; 2440 starts left bk
122540	Over highway bend 15 SM E of Watonga	152734	Cross Tex 256
122950	Over railroad N of Hitchcock	153510	Over Childress VOR
123100	Cross railroad W of Okeene	153830	Over Lazare
124045	3 SM NE of bridge, 4 SM S of Waynoka	154355	Cross Red River 10 SM ESE of Eldorado
125035	Over highway corner 16 SM S, 2 SM E of Coldwater	154600	Over Altus VOR
125507	Due W of Coldwater	154855	Over Headrick
130207	SW of Ford	155200	5-1/2 SM SE of Roosevelt
130255	2-3 SM W of Ford	155809	4-1/2 SM B of Carnegie; 5900 starts left bk
30517	2-1/4 SM W of Wright	160548	Over Weatherford: 0945 starts left bk
30621	Cross river E'30 S' of Dodge City VOR	161030	6-1/2 SM S of Putnam; left bk ends
130647	Start left bank past VOR	161515	7 SM B of Leedey
30731	Heading W: 0810, HD SW; 0913, HD S	162115	3 SM S of Arnett; 2135 starts left bk
130941	Over Ford County AP	163020	About 4 SM SE of Glazier
31028	Due W of Dodge City	163435	On highway 4 SM S of intersection US 83 and 60
31802	Due W of Fowler	163800	1 SM W of Mobeetie
31839	Cross highway N of Meade	164325	On US 66, 10 SM W of Shamrock
32012	3 SM W of Meade	165520	3-1/2 SM E, 2 SM N of Estelline; left bk starts
32450	2 SM W, 1 SM N of 2735 ft. tower	165940	Over Childress VOR
32611	Cross Cimarron River	165952	8 SM S'45 E' of Childress VOR
32821	On US 64, 5 SM W of Forgan	170420	Cross Tex 283, 2 SM N of Pease R. Bridge
33501	2 SM W of intersection US 83 and Okla. 3	170915	Cross Pease R. 2-1/2 SM NNW of Vernon
34425	Cross Tex 15	171245	Cross US 183
34520	1 SM E of Spearman	171328	1 SM S of Frederick AP
35530	1 SM W of Borger AP	171730	1 SM N of Chattanooga
40410	Over Amarillo VOR	172030	Over Lawton VOR
40445	Over St. Francis	173000	1/2 SM NW of Chickasha
140735	5 SM W, 1 SM N of Conway	173405	6 SM E of Tuttle
41850	2 SM N of McLean	173535	2 SM W of Will Rogers AP
42314	3 SM WNW of bridge, 4 SM N of Shamrock	173725	2 SM SSW of Tulakes AP
142345	Due N of Shamrock	175308	On ground Will Rogers AP

Table 7. Both x and y components of vector difference of Doppler and visual fixes.

Tin (CS		$\Delta$ y (Statute miles)	Time (CST)	Δ x (Statute miles)	Δ y (Statute miles)	Time (CST)	Δ x (Statute miles)	Δ y (Statute miles)
							, .	
1219		1.0	135530	-9.9	3.9	162215	-16.5	1.1
1225		-0.8	140410	-11.7	4.6	163020	-13.8	5.5
1229		-1.8	140445	-10.9	5.0	163435	-16.9	5.1
1231		-1.5	140735	-11.7	4.6	163800	-19.4	6.0
1240	45 -2:4	-0.2	141805	-12.6	2.0	164325	-19.0	6.6
1250	55 -2.4	-1.8	142314	-12.7	2,2	165520	-23.9	9.4
1244	07 -1.8	-1.2	142857	-11.5	2.2	165940	-28.9	8.9
1302	55 1.1	-3.0	143211	-11.5	2.0	165952	-25.5	2.8
1305	17 1.1	-2.1	151030	-13.9	2.9	170420	-30.0	0.8
1306	21 0.5	-1.3	151800	-14.4	4.2	170915	-30.0	-2.8
1309	41 -1.6	-0.4	153510	-16.5	2.8	171245	-28.9	-1.2
1310	28 -1.6	-0.3	153830	-21.6	0.2	171328	-28.9	-1.2
1318	02 -1.8	0.8	154355	-16.4	1.1	171730	-29.5	-0.2
1318	39 -1.5	1.1	154600	-15.8	0.7	172030	-27.9	-1.8
1302	12 -1.5	1.1	154855	-17.5	-0.7	173000	-27.7	-6.0
1324	50 -1.5	2.5	155200	-19.6	-2.0			
1326	11 -2.5	1.2	155809	-18.3	-3.0		₹	
1328	21 -3.1	1.0	160548	-15.5	-3.5			
1335	-5.8	2.0	161030	-16.5	-1.3	3		
1345	20 -8.1	3.3	161515	-16.2	0.0	8		

#### 4. CUMULUS STREETS OF MAY 25, 1962.

This case was flown along the line connecting Wichita, Kans. and Little Rock, Ark. Fujita, on board DC-6(39C), took 172 pictures and Ushijima took 65 pictures from DC-6(40C) (fig. 13). These are listed in tables 8 and 9. Rather frequent visual fixes, as indicated in table 10, were accomplished by Fujita. Preliminary investigation revealed that the position error of Doppler fixes increased while flying east, but decreased during the westbound flight.

These flights were made for the purpose of constructing a meteorological cross-section along the line between Wichita and Little Rock. Results of the preliminary photogrammetric analysis of cloud patterns on both sides of the flight paths are presented. Photographed along the first flight leg (fig. 14) between Wichita and Little Rock were extensive areas of cumulus streets which gave no indication of vertical growth. The author's Photographs Nos. 40 and 103 (fig. 16) were taken from approximately the same location toward northeast on successive flight legs. When Frame No. 40 was exposed, the plane was over the eastern portion of the region of the cumulus streets (fig. 14). By the time Photograph No. 103 was taken, from almost the same spot 1 hr. 45 min. later, the central region of the cumulus streets had moved in beneath the aircraft (fig. 15).

Before the aircraft made a turn near Wichita to fly back to Little Rock, a number of towering cumuli were observed (fig. 17). No distinct line of convection was recognized. However, one of the clouds about 40 miles northeast of Wichita showed an anvil top with virga hanging down near the convective tower. It will be of interest to investigate the reason for vertical growth in this area, since the other areas on both sides of the repeated flight paths were characterized by streets of flat cumulus to stratocumulus clouds.

This flight will provide an excellent case for cross-section study along a fixed line connecting Wichita and Little Rock.




Figure 13.- Flight path of the DC-6(40C), determined by Ushijima, and his pictures taken during the flight. May 25, 1962.




Figure 14.- Cloud distribution during the first cross-section flight between Wichita and Little Rock. Clouds were fixed approximately by Fujita from his pictures taken from DC-6(39C) flying at 18,000 ft. May 25, 1962.




Figure 15.- Cumulus streets and some altocumuli photographed during the second cross-section flight from Little Rock to Wichita. It was practically clear to the west. May 25, 1962.






Figure 16.- Two pictures taken from the same spot during the first and second cross-section flights about 1 hour and 45 minutes apart. The difference in cloud patterns is a result of the actual change and the advection of clouds. May 25, 1962.




Figure 17.- The third or last cross-section flight at 18,000 ft. from Wichita to near Little Rock. Activities of small cumuli, both scattered and arranged in streets, now diminished. It is partially because of the time of the day and the cirrus overcast which moved in from activities west of Oklahona City. May 25, 1962.

Table 8. List of photographs taken by Fujita on board DC-6(39C), May 25, 1962.

Frame		Principal	Frame		Principal	Frame No.	Time -	Principal Line
No.	Time	Line	No.	Time	Line	No.	rune -	TITE
	Ž.		60	140951	sw	120	160058	NE
1	124147	due W	61	141032	NB	121	160250	NE
			62		sw	122	160255	· N
2	124302	SB		141200		11-00-00	n againstonean	due N
3	124 <del>44</del> 6	ESE	63	141305	NB	123	160325	
4	124650	due W	64	141450	NE	124	160403	NW
4.	105000	POP	65	141631	sw	125	160630	WSW
5	125320	ESE				126	160815	SSW
6	124900	WSW	66	141820	SSW	and profile of		
7	125358	SE	67	141853	NNE	127	161005	WSW
8	125425	SE	68	141945	NB	128	161130	SSW
9			69	142135	SW	129	161230	NNE
			1			120	161946	NNE
10	125630	WSW	. 70	142410	SW	130	161346	
11	125830	SE	71	142430	sw	131	161454	NNB
12	125835	В	72	143130	SW	132	161531	NNE
13	130115	due B	73	143315	sw	133	161805	N
			revesti.	SEASON DE MONTO	N .	134	161930	NB
14	130413	ESE	74	143440		104	101700	
15	130504	due B	75	143650	due E	135	162015	due N
	130750	ESE	76	143818	due E	136	162100	sw
16		EDL)	(20)	144225	NE	137	162516	NB
17	130829	WNW	77					
18			78	144418	due NB	138	162710	NE
19			79	144458	due NE	139	162745	NNW
	101001	DOT!	80	144505	SSW	140	162950	NNW
20	131326	ESE					163055	NNB
21	131610	ESE	81	144705	due SW	141		
22	131646	E	82	144912	ENE	142	163320	SW
23	131705	ESE	83	145134	NE	143	164050	WSW
24	131832	due S	84	145420	S	144	164116	NE
24	131032	aue b		140420				
25	132152	NE	85	145525	SW	145	164736	NB
26	132545	due N	86	145730	due S	146	164755	NE
			87	145915	due S	147	164847	due SW
27	132550	NE	200				165005	due W
28	132650	ENE	88	150130	NE .	148		
29	133155	NB	89	150523	NE .	149	165230	sw
			90	150000	due S	150	165310	due NB
30				150900			165857	due SW
31	133340	due N	91	150930	SW	151		
32	133404	NE .	92	151305	NNE	152	170100	NE
33	133530	NE	93	151400	NB	153	170245	due S
34	133625	SW .	94	151623	NE	154	170455	due S
						1	.=0/00	001-
35	133814	SW	95	151730	09h	155	170630	09h
36	133935	due N	96	152147	due NB	156	170805	ENE
37	134225	NNE	97	152244	due NB	157	170930	NE
38	134341	due W	98	152335	due S	158	171015	sw
			99	152440	due SW	159	171235	wsw
39	134404	sw	79	104440	uue sw			
40	134630	NE	100	152758	NNE	160	171355	W
41	134815	NE	101	152858	NE	161	171600	NE
500				152948	SW	162	171955	due NN
42	134902	due W	102				172052	due S
43	134930	SW	103	153142	due NB	163		
44	135030	due SW	104	153452	due SW	164	172345	due NB
45	195105	due ent	105	153915	NE	165	172435	due S
45	135125	due SW	105			500000000		due NB
46	135310	SW	106	153954	sw	166	173400	
47	135355	due N	107	154025	ENB	167	173445	due S
48	135355	NE	108	154340	. NE	168	173650	due S
49	135545	NE	109	154414	due SW	169	173945	NNE
					( <b>-</b> )		184100	1 0
50	135636	NB	110	155110	NE	170	174120	due S
51	135830	NE	111	155303	NE	171	174752	<b>W</b> NN
52	140000	SW	112	155330	NNE	172	174823	due S
			113	155423	due S			
53	140115	SW				L		
54	140231	NNE	114	155505	NNB			
55	140325	SW	115	155550	due SSW	1		
				155727	ENB	1		120
56	140430	NNE	116			1		
57	140545	NNB	117	155744	NNE	1		
58	140710	NB	118	155758	NNE	I		
		sw	119	155930	NE			

Table 9. List of photographs taken by Ushijima on board DC-6(40C), May 25, 1962 \*Indicates the frame which was synchronized with 35-mm. time-lapse shutter.

Fran	ne .	Principal	Frame		Principal			Frame		Principal
No.	Time	Line	No.	Time	Line			No.	Time	Line
			25	142833	NW			50	164502	NNE
1	120602	SW	26	143706	-WNW		l .	51	164516	NNE
2	121125	SSW	27	144415	S			52	164538	NNE
3	121955	ESE	28	144703	W			53	164739	NNE.
* 4	122143	WNW	29	145423	E			54	164905	NNE
5	122625	w	30	151257	sw			55	165130	NNE
6	123348	WSW	31	158434	SSE			56	165243	NNE
7	124108	E	32	153054	S		*	57	165313	NNE
8	125520	NE	33	153947	SW			58	165539	NNE
9	130620	SW	34	154208	SW			59	165855	NNE
10	130910	. sw	35	154938	sw			60	170518	NNE
11 .	131322	SW	36	155100	NE			61	174440	NNE
12	131700	ŞW	37	155741	· N			62	172021	
13	131755	NE	38	155848	N			63	173235	SSE
14	132615	NNE	39	160400	S	× *		64	173724	SSE
15	133208		40	160921	S			65	174142	SSE
16	133751	NE	41	161743	NE	- 4		383	•	
17	134828	SW	42	161753	NE					
18	135208	SW	43	162535	NW	- 1				
* 19	135443	NE	44	163930	NE			¥		-
20	135517	NE	45	164013	NNE		,		q d	
21	135841	NE :	46	164041	NNE					
22	140208	NE	47	164142	NNE			,		
23	140424	NE	48	164312	NNE				8	
24	141832	SSW	49	164442	NNE	i				

Table 10. List of visual fixes by Fujita on board DC-6(39C), May 25, 1962.

Time	Visual Fixes	Time	Visual Fixes
123740	Cross Red River 6 SM ENE of Tuttle	150810	On railroad 5 SM S of Winslow
124001	Depart Oklahoma City VOR	152100	19 SM W, 1 SM S of Siloam Springs
124855	On highway due W of Crescent	152707	On railroad 3 SM NNE of Pryor
125450	4 SM W of Covington	153018	On highway 3 SM SW of Chelsea
125718	3 SM W, 1 SM N of Garber	153325	On railroad 5-1/2 SM S of Nowata
130020	1/4 SM W of railroad bridge, 3-1/2 SM SSW of	153620	On highway US 60 10-1/2 SM W of Nowata
	Lamont	155018	2 SM S of Cambridge
131100	3 SM N, 5 SM W of Wellington	160214	Wichita VOR
131258	6 SM W of railroad bridge, 5 SM N of Riverdale	160535	Cross railroad 2 SM E of Carden Plain
131706	Over Wichita VOR	160715	Cross railroad 6 SM NE of Viola
131832	On highway 17 SM S of Newton	161035	2-1/2 SM N of Mulvane
132205	6 SM E of McConnell AP	161725	2 SM W, 1 SM S of Cambridge
132925	On highway bend 12 SM E of Winfield	162605	1 SM SW of Hulah Res. dam
133250	2 SM W, 2 SM S of Cedar Vale	163145	On railroad 5+1/2 SM N of Nowata
133737	On highway 12 SM S of Chautauqua	163700	1 SM S, 2 SM W of Vinita
134002	Over Bartlesville VOR	164000	1 SM E of Lake of the Cherokees dam
134455	On highway 4 SM SSW of Nowata	164700	On highway 3 SM SW of Siloam Springs
134755	Cross railroad 2 SM SW of Chelsea	165030	2 SM N of Prairie Grove
135230	Cross Neosho River 11 SM S of Pensacola	171235	2 SM N, 1 SM E of Morrilton
140615	1 SM E of highway, 5 SM S of Winslow	171355	2 SM S of Perry
140855	Cross river 10 SM NE of Mulberry	171836	8 SM S, 8 SM E of Dardanelle
141420	1 SM E, 2 SM N of Scranton	172600	6 SM B, 6-1/2 SM S of Paris
141853	Cross Arkansas River 1 SM SE of Dardanelle	172725	Due S of Paris
142535	13 SM due W of Mayflower	173255	5-1/2 SM W, 4-1/2 SM N of Charleston
	Little Rock VOR 5 SM W' 30 S' Little Rock VOR	173446	Fort Smith VOR
143725		173600	2 SM S of Van Buren
143900 144155	3 SM due W of downtown Little Rock 4 SM W, 6 SM S of Mayflower	174203	On highway 2-1/2 SM S of Sallisaw Cross railroad 2-1/2 SM SE of Warner
145230	1 SM SE of Dardanelle	174942 183000	Will Rogers Field
145230 145830	3 SM N, 1 SM E of Scranton	103000	MIII VoSera Liein

#### **ACKNOWLEDGMENTS**

Sincere gratitude should be expressed to personnel to the National Severe Storms Project and Research Flight Facility for their wonderful cooperation in accomplishing various flight patterns under difficult circumstances. The author is very grateful to Dr. Robert H. Simpson, Mr. C.F. Van Thullenar, and Dr. Chester W. Newton whose assistance and suggestions made this year's successful participation possible.

Mr. Toshimitsu Ushijima of our Mesometeorology Project, Department of Geophysical Sciences, University of Chicago, participated in the program as an in-flight meteorologist. His cooperation in this research program is highly appreciated.